



A270C

Intel Platform Processor



CPU	
CPU	Intel 12th/13/14th Core i3/Core i5 /Core i7/Pentium/Celeron
TDP	≤65W

Display	
Graphic card	Integrated
Multi displays	Support Two or Three displays
Interface	1 x HDMI-Out 4K @30Hz





System	
Memory	Dual SoDIMM DDR4 Max. 64 GB
Storage	1* M.2 Key M 2280 Size For NVMe/SATA SSD
OS	Window11
WatchDog	Not Support
Auto Power On	Yes
RTC	Power on at specific time everyday
Power Input	12-19v 2.5/5.5 DC-In
Dimension	L615 x H554 x W141mm
Operating Temp.	0~40°C
Operating Humidity	10%~90% non-condensing
Storage Temp	-20~70°C
Operating Humidity	5%~95% non-condensing

Network	
Lan IC	1 x LAN IC
Lan Interface	10/100/1000Mbps
Lan Connector	1 x RJ45 Ports
Wireless Type	M.2 Key E 2230 Module
Wireless Interface	Mini PCIe WiFi/BT Module, Intel 3165/ Intel AX101/Intel AX210
4G/5G	Not Support

I/O interface	
Serial Port /VGA	1 x RS232 COM or 1x VGA(Optional)
USB	4 x USB3.0A
Button	1 x PowerButton, 2x USB3.0*2, 1xcombo 1xUSB2.0C (PD 18W)
SIM CARD	Not Support
AUDIO	1 x Line Out ; 1 x MIC-In
POWER	1 x 2.5/5.5 DC-IN Connector

The 27" FHD narrow-frame machine uses the intel platform, has abundant external interfaces, and supports leaning forward and backward, up and down and left and right rotation. It is widely used in home business and office scenarios.

DIMENSIONS



RoHS FC CE

The 27" FHD narrow-frame machine uses the intel platform, has abundant external interfaces, and supports leaning forward and backward, up and down and left and right rotation. It is widely used in home business and office scenarios.

MODEL	DESCRIPTION
A270C-A	Intel I5-12400 /DDR4 8GB/ 512GB SSD/1* RJ45/1* HDMI-Out/Intel 3165 WiFi/ 6* USB3.0/
A270C-B	Intel I5-13500 /DDR4 16GB/ 1TGB SSD/1* RJ45/1* HDMI-Out/Intel AX210 WiFi/ 6* USB3.0/

SPECIES	PACKAGE LIST
Adapter	Power Adapter
User Manual	x 1 (English)